



SAME

SLH 30 > EXPLORER 3 85 T- 100T- 85 TB - 100 TB

TRACTOR CABINS

LOCHMANN 
cabin innovation

SLH 30	EXPLORER 3 85 - 100 T	E= 87
SLH 30	EXPLORER 3 85 - 100 T	E= 92
SLH 30	EXPLORER 3 85 - 100 TB	E= 76
SLH 30	EXPLORER 3 85 - 100 TB	E= 71

SERIES OUTFIT

- Silentblock bearing
- Rear and front window can be opened
- Reinforced glass doors removable quickly without any tool
- Plastic-roof with noise insulation
- or
- Plated roof with noise insulation
- Green-tinted insulation-glazing
- A triangular opening below the rear window for entering the spray tube
- Electric windscreen wiper; closure of the gear
- 2 outer rear mirrors; mats
- Colours: frame black, roof grey

ACCESSORIES


- Venting system with dust filter
- Venting system with dust filter and heating
- Heating system for plated roof
- Active charcoal filter
- Rapid locking for heating tubes
- Rear window wiper
- Windscreen washer
- Windscreen washer and rear window washer
- Front working light
- Rear working light
- Presetting for rotating beacon removable mounting system
- Rotating beacon completely
- Presetting for car radio
- Stereo car radio
- Telescopic mirrors
- Sun-visor
- Passenger seat
- Lining of wings and under the seat
- Licence plate bracket in front

AIR CONDITIONING (only for cabins with venting system)

- Presetting for air conditioning consisting of: evaporator, switch, thermostat and complete installation
- Air conditioning complete
- Rapid locking for air conditioning tubes



IMPORTANT: for a right assemblage , the distance between the wheel-centre and the upper edge of the wings must be told in the order-form (see letter E)



TYP OF TRACTOR	TYP OF CABIN	A	B	C	D	TYRES	E
EXPLORER 3 85-100 T	SLH 30	85	133	141	243	480/70 R 30	87
		85	133	141	248	420/85 R 34	92
EXPLORER 3 85-100 TB	SLH 30	88	133	141	227	420/70 R 28	76
		93	133	141	222	420/70 R 24	71

● All the measures in cm

CAUTION: It is available plastic roof or plated roof; the height decreases 10 cm with the plated roof.

The general conditions of sale can be consulted and downloaded in the “Download” section of our website www.lochmann.eu